

PRINT ON VIRTUALLY ANY MEDIA!

CMYK + WW or CMYK + CMYK
UP TO 2880 DPI RESOLUTION



DUAL LED LAMPS

(Instant Ink Curing)



iOueue



BEST. EVER.

The X-24 Printer cannot be beat.

Large flatbed printers designed for signage and graphics print at high speeds but are limited by substrate thickness.

Small format printers designed for specialty items print at slower speeds and are limited by substrate length and width.

The Xanté family of X-UV Printers do BOTH. It's the best of both worlds.



Signage • Manufacturing • Specialty Items • Industrial • Packaging





RightON® color matching technology makes spot color matching simpler than ever. Our unique ability to print swatch pages on your media gives you amazing accuracy and iQueue easily saves colors for future use and consistency. With RightON® you can also edit any spot color with CMYK, HSV or RGB color controls.

PANTONE® Color Library

The iQueue spot color database includes the PANTONE® Color Library. This provides access to PMS color builds when using Right-On.



Welcome to the iQueue Workflow

iQueue is so powerful and easy to use, you'll wonder how you ever got along without it.

Xanté continues to speed up your workflow with time-saving innovations and features.

iQueue is contantly updated and improved, and upgrades come at no cost to you.

Creating a new job is as easy as dragging in a file. Built-in features mean that you can manipulate images, remove backgrounds, add text and texture, gang-up images and more right in iQueue. So you can achieve your desired results even if you don't have a team of tech-savvy designers. If you do, our shared folder system ensures everyone can work together quickly and efficiently.

Loaded With Features!

Job Sharing via Shared Folders Sequential Numbering Imposed Stack Order Printing Full Imposition Hundreds of Design Templates Full-Speed Variable Data
Royalty-Free Specialty Fonts
Advanced Barcoding
QR Code Creation
Fully Independent CMYK Controls

Accurate Job Costing
Multipart Forms Creation
White Frosting
Paneling
3D Texturing





SPECIFICATIONS

PRINTING CAPABILITIES

 Max. media size:
 24" x 18" (60.9cm x 45.7cm)

 Min. media size:
 .5" x .5"

 Max. print height:
 7" (17.78cm)

Media transport: 24" x 19.7" (60.9cm x 50cm)

Vacuum bed

Print colors: CMYK + WW or CMYK + CMYK

Resolution: 1440/2160/2880 DPI Resolutions

UV lamp: Dual LED, 385-415 nM, low heat curing lamp

INK AND MEDIA

Ink type: UV, 500 mL bottles per color

The maximum shelf life is 1 (one) year from Date of Manufacture (DoM). Once opened, the shelf life

XANTÉ

is 2 (two) months or 1 (one) year from DoM, whichever comes first.

Media types: PVC plastic, styrene, wood, aluminum, metal, acrylics, coroplast, ceramics, fabric, leather,

composites, paperboard, foamboard, glass, carpet, tile and more

PRINTER CONNECTIVITY 1-Gigabit Ethernet

PREPRESS SOFTWARE

Xanté iQueue Workflow: Adobe® PostScript® 3™, Independent CMYK Density Control, Spot Color Matching, Imposition,

Digital File Editing, Variable Printing, and much more

WEIGHTS, DIMENSIONS

Dimensions: 38"L X 57.5"W X 28.5"H (97 x 146 x 72 cm)

Net/Gross weight: 255lbs (115kg)

Power supply: 110v or 220v 50-60hz

WORKING CONDITION

Operating temperature: 22-26°C (68°F - 78°F)

Relative humidity: 50-80RH



iQueue Simply Brilliant Workflow (Included)

Digital Color Workflow with Advanced Color Matching and File Management Tools

